

## EAST Search History

| Ref # | Hits | Search Query   | DBs      | Default Operator | Plurals | Time Stamp       |
|-------|------|--|----------|------------------|---------|------------------|
| L1    | 1    | (nozzle near10 (slot or slit)) and coating and smoothing and pillar                                | USPAT    | OR               | OFF     | 2008/11/05 09:15 |
| L2    | 6    | (nozzle near10 (slot or slit)) and coating and smoothing and pillar                                | US-PGPUB | OR               | OFF     | 2008/11/05 09:16 |
| L3    | 2    | (nozzle near10 (slot or slit)) and smoothing and (coating near4 (pillar or columnar or cylinder))  | US-PGPUB | OR               | OFF     | 2008/11/05 09:17 |
| L4    | 2    | (nozzle near10 (slot or slit)) and smoothing and (coating near10 (pillar or columnar or cylinder)) | US-PGPUB | OR               | OFF     | 2008/11/05 09:17 |
| L5    | 3    | (nozzle near10 (slot or slit)) and smoothing and (coating near10 (pillar or columnar or cylinder)) | US-PGPUB | OR               | ON      | 2008/11/05 09:18 |
| L6    | 3    | (nozzle near15 (slot or slit)) and smoothing and (coating near10 (pillar or columnar or cylinder)) | US-PGPUB | OR               | ON      | 2008/11/05 09:18 |

|     |    |  |          |    |    |                  |
|-----|----|--|----------|----|----|------------------|
| L7  | 19 | (nozzle near15 (slot or slit)) and smooth and (coating near10 (pillar or columnar or cylinder))                                      | US-PGPUB | OR | ON | 2008/11/05 09:19 |
| L8  | 15 | (nozzle near15 (slot or slit)) and smooth and (coating near10 (pillar or columnar or cylinder)) and rotating                         | US-PGPUB | OR | ON | 2008/11/05 09:20 |
| L9  | 13 | (nozzle near15 (slot or slit)) and smooth and (coating near10 (pillar or columnar or cylinder)) and rotating and (holding or holder) | US-PGPUB | OR | ON | 2008/11/05 09:24 |
| L10 | 13 | (nozzle near15 (slot or slit)) and smooth and (coating near10 (pillar or columnar or cylinder)) and rotat\$5 and (holding or holder) | US-PGPUB | OR | ON | 2008/11/05 09:26 |
| L11 | 14 | (nozzle near15 (slot or slit)) and smooth and (coating near10 (pillar or columnar or cylinder)) and rotat\$5 and (hold\$3)           | US-PGPUB | OR | ON | 2008/11/05 09:26 |

|     |   |  |          |    |    |                  |
|-----|---|--|----------|----|----|------------------|
| L12 | 0 | (extruder near15 (slot or slit)) and smooth and (coating near10 (pillar or columnar or cylinder)) and rotat\$5 and (hold\$3)     | US-PGPUB | OR | ON | 2008/11/05 09:27 |
| L13 | 1 | (extrud\$5 near15 (slot or slit)) and smooth and (coating near10 (pillar or columnar or cylinder)) and rotat\$5 and (hold\$3)    | US-PGPUB | OR | ON | 2008/11/05 09:27 |
| L14 | 0 | (extrud\$5 near15 (slot or slit)) and smoothing and (coating near10 (pillar or columnar or cylinder)) and rotat\$5 and (hold\$3) | US-PGPUB | OR | ON | 2008/11/05 09:28 |

11/ 5/ 08 9:28:58 AM

C:\Documents and Settings\BLamb\My Documents\EAST\Workspaces  
\10623294.wsp